UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

| APPLICATION NO. | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |
|--|---------------------------------|----------------------|---------------------|------------------|
| 10/748,352 | 12/30/2003 | Martin Finnerty | SBL0029US | 7797 |
| | 7590 10/15/200 TEPHENSON LLP | | EXAMINER | |
| 11401 CENTUI | RY OAKS TERRACE | | LEE, CHUN KUAN | |
| BLDG. H, SUITE 250 AUSTIN, TX 78758 | | | ART UNIT | PAPER NUMBER |
| | | | 2181 | |
| | | | | |
| | | | MAIL DATE | DELIVERY MODE |
| | | | 10/15/2008 | PAPER |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

| | Application No. | Applicant(s) |
|---|---|---|
| | 10/748,352 | FINNERTY ET AL. |
| Office Action Summary | Examiner | Art Unit |
| | Chun-Kuan Lee | 2181 |
| The MAILING DATE of this communication ap Period for Reply | ppears on the cover sheet with the o | correspondence address |
| A SHORTENED STATUTORY PERIOD FOR REPL WHICHEVER IS LONGER, FROM THE MAILING ID. - Extensions of time may be available under the provisions of 37 CFR 1. after SIX (6) MONTHS from the mailing date of this communication. - If NO period for reply is specified above, the maximum statutory period. - Failure to reply within the set or extended period for reply will, by statul Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). | DATE OF THIS COMMUNICATION .136(a). In no event, however, may a reply be tired will apply and will expire SIX (6) MONTHS from the cause the application to become ABANDONE | N. nely filed the mailing date of this communication. ED (35 U.S.C. § 133). |
| Status | | |
| Responsive to communication(s) filed on 18 A This action is FINAL . 2b) ☑ This 3) ☐ Since this application is in condition for allowed closed in accordance with the practice under | is action is non-final. ance except for formal matters, pro | |
| Disposition of Claims | | |
| 4) ☐ Claim(s) 1-36 is/are pending in the application 4a) Of the above claim(s) is/are withdra 5) ☐ Claim(s) is/are allowed. 6) ☐ Claim(s) 1-36 is/are rejected. 7) ☐ Claim(s) is/are objected to. 8) ☐ Claim(s) are subject to restriction and/o | awn from consideration. | |
| 9) ☐ The specification is objected to by the Examin 10) ☑ The drawing(s) filed on 30 December 2003 is/ Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct 11) ☐ The oath or declaration is objected to by the Examin | are: a)⊠ accepted or b)⊡ objected or b)⊡ objected drawing(s) be held in abeyance. Section is required if the drawing(s) is ob | e 37 CFR 1.85(a). jected to. See 37 CFR 1.121(d). |
| Priority under 35 U.S.C. § 119 | | |
| 12) Acknowledgment is made of a claim for foreig a) All b) Some * c) None of: 1. Certified copies of the priority document 2. Certified copies of the priority document 3. Copies of the certified copies of the priority document application from the International Bureat* * See the attached detailed Office action for a list. | nts have been received. nts have been received in Applicat ority documents have been receive au (PCT Rule 17.2(a)). | ion No ed in this National Stage |
| Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date | 4) Interview Summary Paper No(s)/Mail D 5) Notice of Informal F 6) Other: | ate |

Art Unit: 2181

DETAILED ACTION

CONTINUED EXAMINATION UNDER 37 CFR 1.114

1. A request for continued examination under 37 CFR 1.114, including the fee set forth in 37 CFR 1.17(e), was filed in this application after final rejection. Since this application is eligible for continued examination under 37 CFR 1.114, and the fee set forth in 37 CFR 1.17(e) has been timely paid, the finality of the previous Office action has been withdrawn pursuant to 37 CFR 1.114. Applicant's submission filed on 08/18/2008 has been entered.

RESPONSE TO ARGUMENTS

2. Applicant's arguments with respect to claims 1-36 have been considered but are moot in view of the new ground(s) of rejection. Currently, claims 37-39 are canceled, and claims 1-36 are pending for examination.

I. REJECTIONS BASED ON PRIOR ART

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

Art Unit: 2181

3. Claims 1-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wakai et al. (US Patent 6,587,126) in view of <u>Tso et al.</u> (US Patent 6,421,733) and <u>Iwamoto et al.</u> (US Patent 7,167,919).

4. As per claims 1, 9, 16, 23 and 30, <u>Wakai</u> teaches a computer-readable medium system and method comprising:

a processor (CPU 802 of Fig. 8) configured to execute instructions;

a plurality of devices (e.g. printer 702, scanner 704, multi-function device 705 of Fig. 7) directly coupled to the computer system (Fig. 7, ref. 706), wherein each device is configured to perform a corresponding function (e.g. printing function, scanning function) (col. 15, I. 58 to col. 16, I. 5), wherein the plurality of devices are directly coupled to the computer system over the network (Fig. 7, ref. 701); and

a memory (Fig. 8, 805-807), coupled to the processor (Fig. 8, ref. 802), and configured to store the instructions, wherein the instructions comprise:

a module of receiving instructions (web server 204 of Fig. 2) configured to receive a request to provide a requested service (e.g. service of printing), wherein the request is received from an applet (Fig. 2, ref. 202, 203) executing on a first remote network node (Fig. 2, ref. 102) and the request conforms to a request format defining in a first language (col. 14, II. 41-47), wherein the request to provide the service of printing is transferred from the web browser (Fig. 2, ref. 202, 203) to the web server (Fig. 2, ref. 204) conforming to the language utilized by the web browser, such as HTML (Fig. 132),

at least one device (printer 702 of Fig. 7) of the plurality of devices (printer 702, scanner 704, multi-function device 705 of Fig. 7) is configured to provide the requested service (e.g. service of printing), wherein the plurality devices comprising the printer, the scanner and the multifunction device;

providing the request to a server component (Fig. 2, ref. 103);

a module of selecting instructions (i.e. selecting therefore identifying) configured for selecting (identifying) a first device (e.g. printer) of the plurality of device (i.e. at lest one device) to provide the requested service (e.g. service of printing) (Fig. 32, ref. S3201) (col. 3, II. 3-5), and

the module of selecting instructions (i.e. selecting therefore identifying) are inherently performed in response to the module of obtaining request instruction, as there is more than one option that the request may be directed including the option to request for scanning by the scanner (Fig. 7, ref. 704) and the option to request for printing by the printer (Fig. 7, ref. 702); therefore, only after obtaining the request and determining the type of request (e.g. scanning or printing) by the desktop's PC's processor or the like, can the received request be properly routed to the correct peripheral device over the network (Fig. 7, ref. 701); and

a module of converting instructions (request manager 207 of Fig. 2) configured for converting the request to a second request in a second language (process command comprising the print command) (col. 14, II. 47-55), wherein the request manager converts the request to the corresponding process command;

Art Unit: 2181

wherein the second request conforms to a request format defined in a second language (i.e. language associated with process command) (col. 14, II. 47-55);

the first device (the printer comprising server component 103 and printer 206 of Fig. 2 and col. 15, II. 12-17) is configured to provide the requested service (e.g. service of printing) in response to receiving the second request (process command comprising the print command) (col. 14, II. 47-55), wherein the service of printing is performed when the printer's command analysis/process unit (Fig. 2, ref. 208) receives the print command.

Wakai does not teach the computer-readable medium system and method comprising: wherein the request is received from a plurality of source types; wherein the plurality of source types comprises a control module executing on a second remote network node, an enterprise application web server executing on a third remote network and a magnet card reader; a language parser configured to parse the first language; obtaining results of the parsing the request from the language parser; and selecting performed in response to the result of the parsing.

<u>Tso</u> teaches a system and a method comprising:

multiple network clients (col. 6, II. 51-63);

a language parser (Fig. 3, ref. 22) configured to parse the first language (e.g. HTML); obtaining results of the parsing the request from the language parser; and selecting (e.g. selectively invoking the transcode service provider) performed in response to the result of the parsing (col. 3, II. 8-65).

It would have been obvious for one of ordinary skill in this art, at the time of invention was made to include <u>Tso</u>'s parser into <u>Wakai</u>'s server component for the benefit of enabling the manipulation of transferred data between the client computer and the network computer without changing existing hardware (<u>Tso</u>, col. 1, II. 24-40) to obtain the invention as specified in claims 1, 9, 16, 23 and 30.

Wakai and <u>Tso</u> do not teach the computer-readable medium system and method comprising wherein the request is received from a plurality of source types; and wherein the plurality of source types comprises a control module executing on a second remote network node, an enterprise application web server executing on a third remote network and a magnet card reader.

<u>Iwamoto</u> teaches a system and a method comprising:

a request is received from a plurality of source types (e.g. access controller, enterprise server, magnetic card reader) (Fig. 1-3; col. 1, II. 41-42; col. 2, II. 13-30 and col. 4, I. 4 to col. 5, I. 67), in combination with <u>Wakai</u>'s request and <u>Tso</u>'s multiple network clients; therefore, resulting combination have multiple network clients on the network, each client have the respective different type of source to send the request; and

wherein the plurality of source types comprises a control module (e.g. access controller 49 of Fig. 3) executing on a second remote network node, an enterprise application web server (Fig. 1, ref. 8) executing on a third remote network and a magnet card reader (Fig. 1-3; col. 1, II. 41-42; col. 2, II. 13-30 and col. 4, I. 4 to col. 5, I. 67), in

Application/Control Number: 10/748,352

Art Unit: 2181

combination with <u>Wakai</u>'s request and <u>Tso</u>'s multiple network clients; therefore, resulting combination have the internet network having multiple network clients wherein the multiple network clients include the access controller, the enterprise server, and the magnetic card reader residing on the respective remote network node in the internet network.

Page 7

It would have been obvious for one of ordinary skill in this art, at the time of invention was made to include Iwamoto's different source types into Wakai and Tso's network system not only have the benefit of expanding the utilization of the single peripheral device by different source types, but also have the benefit of more efficient and secure storage of access management information at a centralized location (Iwamoto, col. 2, II. 46-53) to obtain the invention as specified in claims 1, 9, 16, 23 and 30.

5. As per claim 2, <u>Wakai</u>, <u>Tso</u> and <u>Iwamoto</u> teach all the limitations of claim 1 as discussed above, where <u>Wakai</u> further teaches the computer-readable medium system and method comprising directing the second request (process command comprising the printing command) to the first device (printer) (<u>Wakai</u>, col. 14, 47-55), as the second request (process command) is directed to the printer's command analysis/process unit (<u>Wakai</u>, Fig. 2, ref. 208).

Art Unit: 2181

6. As per claim 3, <u>Wakai</u>, <u>Tso</u> and <u>Iwamoto</u> teach all the limitations of claim 2 as discussed above, where <u>Wakai</u> further teaches the computer-readable medium system and method comprising:

the first language is a mark up language (<u>Wakai</u>, Fig. 10 and col. 14, II. 41-47), as the request is transferred by the web browser (<u>Wakai</u>, Fig. 2, ref. 202, 203) over the network to the web server (<u>Wakai</u>, Fig. 2, ref. 204) utilizing language such as HTML (<u>Wakai</u>, Fig. 132);

the second language is a device specific language of a plurality device specific languages (<u>Wakai</u>, Fig. 7 and col. 16, II. 56-60), wherein process command comprising the print command and the scan command, as the print command would be specific for the printer and the scan command would be specific for the scanner,

wherein each of the plurality of devices communication using one of the plurality of device specific languages (Wakai, Fig. 7 and col. 16, II. 56-60).

7. As per claim 4, <u>Wakai</u>, <u>Tso</u> and <u>Iwamoto</u> teach all the limitations of claim 2 as discussed above, where <u>Wakai</u> further teaches the computer-readable medium system and method comprising wherein the request formats comprise:

at least one instruction (instruction to print) (<u>Wakai</u>, col. 17, II. 8-14), and data (print information) to be used when performing the at least one instruction (<u>Wakai</u>, col. 17, II. 8-14).

Application/Control Number: 10/748,352

Art Unit: 2181

8. As per claim 5, <u>Wakai</u>, <u>Tso</u> and <u>Iwamoto</u> teach all the limitations of claim 4 as discussed above, where <u>Wakai</u> further teaches the computer-readable medium system and method comprising:

Page 9

specifying use of a specific feature (printing feature) of the first device (<u>Wakai</u>, printer 702 of Fig. 7) (<u>Wakai</u>, Fig. 22 and col. 14, II. 51-55),

wherein said specifying use of the specific feature comprises specifying a optional variable (variable of "Print") (Wakai, Fig. 22 and col. 23, II. 59-63) and

providing a value (value of data file to be printed) for the optional variable (<u>Wakai</u>, Fig. 132 and col. 45, II. 19-22), wherein the data file to be printed is provided by specifying the specific data file; therefore, the optional variable and the value specify use the specific feature of the first device; and

said converting the request to the second request comprises:

including the optional variable in the at least one instruction of the second request, and including the value for the optional variable in the data of the second request (Wakai, Fig. 132 and col. 45, II. 19-22), wherein the user requests service of printing of the specific data file by selecting the "print" on screen with the specific data file, therefore the second request comprises of the "print" request and the data file to be printed.

9. As per claim 6, <u>Wakai</u>, <u>Tso</u> and <u>Iwamoto</u> teach all the limitations of claim 2 as discussed above, where <u>Wakai</u> further teaches the computer-readable medium system

Art Unit: 2181

and method comprising sending a response to the request (<u>Wakai</u>, Fig. 22, ref. S2213), as the HTML page corresponds to the printing is transferred to the client component.

- 10. As per claim 7, <u>Wakai</u>, <u>Tso</u> and <u>Iwamoto</u> teach all the limitations of claim 6 as discussed above, where <u>Wakai</u> further teaches the computer-readable medium system and method comprising wherein the response conforms to a response format defined in the first language (HTML format) (<u>Wakai</u>, Fig. 22, ref. S2213).
- 11. As per claim 8, <u>Wakai</u>, <u>Tso</u> and <u>Iwamoto</u> teach all the limitations of claim 7 as discussed above, where <u>Wakai</u> further teaches the computer-readable medium system and method comprising wherein the response formats comprises:

at least one instruction (<u>Wakai</u>, Fig. 22, ref. S2213), wherein the instruction comprising the instruction to display the corresponding HTML page; and

data to be used when performing the at least one instruction (<u>Wakai</u>, Fig. 23, ref. S2312, S2313 and col. 24, ref. 45-49), wherein the data to be used comprising "Printing successful" and "Printing failure".

12. Claims 10-15, 17-22, 24-29 and 31-36 repeat the limitations of claims 2 and 4-8 and are therefore rejected accordingly.

II. CLOSING COMMENTS

Conclusion

a. STATUS OF CLAIMS IN THE APPLICATION

The following is a summary of the treatment and status of all claims in the application as recommended by M.P.E.P. 707.07(i):

a(1) CLAIMS REJECTED IN THE APPLICATION

Per the instant office action, claims 1-36 have received a first action on the merits and are subject of a first action non-final.

b. <u>DIRECTION OF FUTURE CORRESPONDENCES</u>

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Chun-Kuan (Mike) Lee whose telephone number is (571) 272-0671. The examiner can normally be reached on 8AM to 5PM.

IMPORTANT NOTE

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Alford Kindred can be reached on (571) 272-4037. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 2181

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/C.K.L./

October 10, 2008

Chun-Kuan (Mike) Lee Examiner Art Unit 2181

/Alford W. Kindred/

Supervisory Patent Examiner, Art Unit 2181